

INA Solven RAV 14

Mild alkaline multipurpose product for cold cleaning in industry and workshops

Chemical composition

Mixture of tensides and complex-builders

General Description - Application

INA Solven RAV 14 is suitable for cold removal of organic contaminations in combination with soot, pigments and bitumen. This product is not aggressive to metal, varnish, sealing materials, glass and other materials.

It is also recommended for cleaning of engine parts, machines, sheet metals, industrial floors, external building walls and exteriors of petrol stations. It is used diluted with water in the ratio up to 1:100, depending on the grade of contamination.

INA Solven RAV 14 could be applied on surface by brushing, spraying or dipping in the baths, after short time rinse with water.

Ecological and disposal information

For precaution reasons take care that no uncontrolled release of product into environment will occur. It is necessary to use oil separator and to control waste waters before draining into the sewage system. This needs to be carried out in accordance with valid legal regulations.

Handling and storage

Use suitable personal protective equipment.

Store in closed or roofed over warehouse, recommended storage temperature from 5 to 40 °C.

Storage time is at least 12 months at above specified conditions.

Properties	INA Solven RAV 14	Method
<i>CONCENTRATE</i>		
Appearance and Colour	colourless to light yellow liquid	Visual
Density at 20 °C, g/cm ³	1,08	ASTM D 4052
Solubility in water	soluble	-
pH Value at 20 °C	9,1	ASTM D 1287

Packaging

10 l plastic container

The above figures are typical of those obtained with normal production tolerance and do not constitute a specification.